Catalog No. 37

BOG

AUTOMOTIVE AND INDUSTRIAL TOOLS

DISTRIBUTED BY

GUARANTEE

All Bog products are fully guaranteed against defective material and workmanship.

Replacements made by our jobbers, or at our factory are subject to the following conditions:

1. Jobbers are authorized to refuse replacement of tools returned to them, that clearly show signs of having been abused, or used for purposes other than for which the tool was intended.
2. Worn out tools are not subject to replacement.
3. Bad order tools will be reconditioned when possible, for which a small service charge will be made.
4. Shipments of tools returned to factory for adjustment will be received only when transportation charges have been prepaid.

STEVENS WALDEN, INC.
MAY 10 4 12 PM '37

In addition to our regular line of tools, we also manufacture stampings, pressed steel and automatic screw machine products in a wide range of sizes. Our equipment includes presses of the latest design up to 125 tons capacity.

Compiled and Copyrighted by

BOG MANUFACTURING CO. - - - - - - CHICAGO

Printed in U. S. A.

SPECIAL SOCKET SETS

FOR SOCKET HEAD CAP SCREWS AND SET SCREWS

A new assortment of special handles and fittings for socket set screws and socket head cap screws. Speeds up production, a great time and labor saver on all machinery assembling and repair work. Fits all sizes of screws from ¼" to 1" inclusive.

CONTENTS

½" Square Drive Handles

1—202A Ratchet
1—649 3" Extension Bar
1—948 9½" Extension Bar

⅜" Square Drive

1—AL203 Ratchet ¼" and ⅜" Sq. Drive
1—525 4½" Extension
1—529 Handle Bar

¼" Square Drive

1—102 Socket Spinner
1—103 Sliding Head Handle
1—104 3" Extension

No. 610—Set. Weight 7½ lbs.....**$24.00**

INDIVIDUAL PARTS LIST



Sockets

Stock No.	Size of Square Drive	For Hex. Opening	Fits Socket Set Screw	Fits Socket Head Cap Screw	Price
AL4	¼	⅛	¼		$0.60
AL5	¼	5/32	5/16		.60
AL6	¼	3/16	⅜	¼	.60
AL7	⅜	7/32	7/16	5/16	.75
AL8	⅜	¼	½		.75
AL10	⅜	5/16	⅝	⅜ & 7/16	.75
AL12	½	⅜	¾	½ & 9/16	.85
AL16	½	½	⅞	⅝	.85
AL18	½	9/16	1	¾ & ⅞	.85
AL20	½	⅝		1	.85

½" Square Drive Handles

No. 202A Ratchet $4.75
No. 649 3" Extension Bar 1.00
No. 948 9½" Extension Bar 1.15

⅜" Square Drive

No. 525 4½" Extension Bar ..... .80
No. 529 Handle Bar ..... .50
No. AL203 Ratchet, ¼" and ⅜" Sq. Drive 3.50

¼" Square Drive

No. 102 Socket Spinner 1.20
No. 103 Sliding Head Handle 1.00
No. 104 3" Extension ..... .75

MIDGET HANDLES AND SOCKETS

¼" Sq. Drive.

Nut Spinner

Six inch long over all. Hard wood handle fitted with friction ball to retain sockets.

No. 102—Handle.....$1.20

SLIDING HEAD HANDLE

Has ¼" square drive fitted with Friction Ball to retain sockets. Length over all 4".

No. 103—Sliding head handle $1.00
No. 103A—Fiber insulated handle..... 1.30

EXTENSION BARS

Midget extensions are of one piece construction, machined from solid bars of high grade steel and heat-treated. ¼" sq. drive.



No. 104—Length 3". Each.. $ .75
No. 105—Length 6". Each..... .95
No.105A—Fiber insulated bar 1.35

MIDGET SOCKET SET FOR RADIO AND IGNITION SERVICE

CONTENTS

1—No. 102 Nut Spinner Handle
1—No. 103 Sliding Head Handle
1—No. 104 3" Extension Bar
1—No. 105 6" Extension Bar
9—Double Hex. sockets: 7/16, 3/8, 1/4, 5/16, 7/16, 9/16, 5/8, 11/16 and 1/2".
4—Double Square sockets: 7/16, 3/8, 1/4 and 5/16".

No. 110—Set complete $9.85
No. 110A—Set with fiber insulated handles..... 10.55

MIDGET SET

No. 107

This is our most complete midget set — a very useful addition to any Mechanic's Tool Kit.



CONTENTS

1—No. 203M Ratchet
1—No. 106 Flex. Handle and Cross Bar
1—No. 102 Nut Spinner Handle
1—No. 103 Sliding Head Handle
1—No. 104 3" Extension Bar
1—No. 105 6" Extension Bar
9—Double Hex. Sockets: 7/16, 3/8, 1/4, 5/16, 7/16, 9/16, 5/8, 11/16 and 1/2".
4—Double square sockets: 7/16, 3/8, 1/4 and 5/16".

No. 107 .....$15.00
No. 107A—Set with Fiber insulated Handles..... 15.70

See Pages 32-33 for Midget Sockets.

MINIATURE SOCKET SETS

For Automotive, Aviation and Electrical Work
3/8" Square Handle Connections

No. 538 Set.



Set contains 1 each: 3/8", 7/16", 1/2", 9/16" and 5/8" Miniature Double Hex. Sockets. Weight 3½ lbs.

1 No. 521 Sliding Head Handle
1 No. 525 4½" Extension
1 No. 526 9" Extension
1 No. 532 Universal Joint

No. 538—Set Complete .....$ 9.20
No. 539—Set as above including Ratchet 12.50

No. 541—MINIATURE SET

This set contains the most popular items of our Miniature Wrench Assortment.

CONTENTS

1 203 Ratchet
1 523 Flex. Handle
1 521 Sl. Head and Handle
1 525 4½ Extension Bar
1 526 9" Extension Bar
1 532 Universal Joint
1 MD8 ¼" Min.Dbl.Hex.Socket
1 MD10 5/16" Min.Dbl.Hex.Socket
1 MD12 3/8" Min.Dbl.Hex.Socket
1 MD14 7/16" Min. Dbl. Hex. Socket
1 MD16 ½" Min. Dbl. Hex. Socket
1 MD18 9/16" Min. Dbl. Hex. Socket
1 MD20 5/8" Min. Dbl. Hex. Socket
1 MD22 11/16" Min. Dbl. Hex. Socket
1 MD24 ¾" Min. Dbl. Hex. Socket
1 MS12 3/8" Min. Double Sq. Socket
1 MS14 7/16" Min. Double Sq. Socket
1 MS16 ½" Min. Double Sq. Socket

No. 541—Set Complete in Metal Box. Wt. 5½ lbs.....$20.85

BOG'S NEW IMPROVED 898 SET



A strong durable wrench set for general purpose use. Sockets are blue steel finish of the new popular type, double hex. and double square openings.

This set contains our new improved No. 202A Ratchet.

CONTENTS

1 **No. 932**—Short Speed Handle
1 **No. 930**—Long Speed Handle
1 **No. 946**—4½" Extension Bar
1 **No. 948**—9½" Extension Bar
1 **No. 637**—Sliding Head Handle
1 **No. 202A**—Ratchet
1 **No. 662**—Universal Joint
1 **No. 943**—Valve Grinder Bit
18 Double Hex. Blue Steel Sockets Sizes: 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1", 1 1/16, 1 1/8, 1 1/4".
8 Double Square Blue Steel Sockets, Sizes: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, and 7/8".
1 **No. 390**—Socket for Alemite

No. 898—Set complete in metal case. Wt. 18 lbs. $26.50

No. 898A—Above set without No. 932 speeder and eight square sockets. Wt. 14 lbs. $21.60

THE DANDY SOCKET SET

SMALL in Size—a GIANT in Strength

No. 246

This is a high-grade set adaptable to the car owner's use. Contains 1—202 A Ratchet, 1—946 — 4½ Ex. Bar, 8 Double Hex. opening sockets, 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 7/8", 15/16", and 3 square sockets, 7/16", 9/16", 5/8". Handle and extension bar are nickel plated, sockets are case hardened with gun metal blue finish. Packed in strong steel box.

No. 246—Dandy Socket Set. Wt. 4½ lbs. $9.80

FLEX-HANDLE BARREL WRENCH SET

No. 252



This wrench set combines our swing flex head principal with a set of 6 Dbl. Hex. Sockets, sizes 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, which are carried in the handle of the wrench. Sockets are machined from bar stock and are carefully broached and heat treated. Handle is also machined and milled from bar stock, chromium plated. Set packed in two-piece cardboard box.

No. 252—Set Complete. 1 lb., 10 oz. $2.95

HEAVY DUTY SETS

BOG'S No. 404 SOCKET SET

A very popular assortment in the garage and general repair shop. Furnished with either double or single hex. sockets. (Optional.) Double Hex. will be shipped unless otherwise specified. Extention Bars are cross drilled for use in connection with sliding head handle. All parts heat-treated and guaranteed.

Packed in convenient steel case fitted with leather grip carrying handle and hasp for padlock.

Length 18". Width 5½". Depth 2¾". Wt. 19 lbs.

CONTENTS

1 **No. 436**—18" sliding head offset handle
1 **No. 440**—12" tee and extension Bar
1 **No. 438**—6" tee and extension Bar.
Eight Chromium Vanadium Double Hex. sockets, 1, 1 1/16, 1 1/8, 1 1/4, 1 3/8, 1 7/16, 1 1/2, 1 5/8".
All handles ¾" square shank. Chromium plated.

No. 404—Heavy duty set in metal box $25.85

No. 404A—Same as No. 404 with No. 435 Ratchet included 37.85

MAMMOTH SET No. 700

1¼" SQUARE HANDLE CONNECTION

These are positively the largest sockets and handles ever machined from solid bars of alloy steel. All parts are designed for work of extra large dimensions. Set is packed in heavy gauge steel box 39" long, 8" wide and 5" deep, fitted with convenient carrying handles on each end.

Contents

1-734—36" Sliding Head Handle
1-738—9" Extension Bar
1-740—18" Extension Bar
1-MH64—2" Hex Socket
1-MH68—2⅛" Hex Socket
1-MH70—2¼" Hex Socket
1-MH72—2⅜" Hex Socket
1-MH76—2½" Hex Socket
1-MH80—2⅝" Hex Socket
1-MH82—2¾" Hex Socket
1-MH84—2⅞" Hex Socket
1-MH88—3" Hex Socket
1-MH94—3⅛" Hex Socket
1-MH100—3⅜" Hex Socket
1-MH112—3½" Hex Socket

No. 700—Set. Wt. 100 lbs. $193.00
No. 701—Set including Ratchet 258.00
No. 177—Box only. Wt. 24 lbs. 12.00
Ratchet for this set illustrated on page 27.

(Extra sockets and parts for this set listed on pages 26, 27 and 29.)

MINIATURE HANDLES AND FITTINGS

⅜" Sq. Handle Connections

REVERSIBLE RATCHET



Enclosed Head

No. 203

An improved ratchet handle, has thin head and convenient knurled reversing button. Working parts completely enclosed and packed in grease. Length over all 6 inches.

No. 203—Ratchet. Wt. 6 ozs. $3.50

MINIATURE SWING—FLEX. HANDLE

⅜" Sq. Connection

No. 523



A combination speeder, tee, and ell handle embodying the new popular flexible joint feature. Made of high grade steel. Length 10", Wt. 8 oz.

No. 523A—Miniature Swing, Flex. Handle complete $3.10
No. 523—Handle Only 2.50
No. 530—Cross Bar only, length over all 6" ..... .60

COMBINATION SLIDING HEAD HANDLE No. 521

Handle is made of ⅜" Round stock. Has ⅜" sq. connection. Sliding Head is fitted with internal friction ball and locking screw. All parts properly heat-treated. Length over all 5½".

No. 521—Sliding Head and Handle $1.25
No. 529—Sliding Bar only, length 5½" ..... .50

EXTENSION BARS

Extension Bars. Made of $\frac{7}{16}$" Round Stock. Have ⅜" square hole in head for use with ratchet handle. Head is also cross drilled and fitted with friction ball for use in connection with No. 529 or No. 530 Sliding Bars.

No. 524—2" $0.65
No. 525—4½" ..... .80
No. 526—9" $1.00
No. 526A—18" 1.50

UNIVERSAL JOINT No. 532

Short coupled Universal. ⅜" square male and female connections. Fitted with friction ball to retain sockets.

No. 532—Joint $2.10

SPEEDER HANDLES



Miniature Speeders, ⅜" square shank, 6" sweep, made of $\frac{7}{16}$" Round Stock with swivel handle.

No. 527—8 Inch Shank. Wt. 1¼ lbs. $1.70
No. 528—16 Inch Shank. Wt. 1¾ lbs. 2.00

REFRIGERATOR SERVICE TOOLS



A very complete assortment of special tools and sockets designed to meet every requirement of the refrigerator service mechanic.

No. 203R—Reversible Ratchet. Inclosed head has ¼" sq. opening for use on valve stems and ⅜" sq. male connection which fits all special sockets in this group.....$3.50

No. 521—Sliding Head Handle, ⅜" sq. Drive.....$1.25

No. R6—Valve packing nut socket ⅜"x½" oval opening. ⅝" O.D. Length 1½".....$1.10

No. 532—Universal Joint	2.10	**No. MD20**—⅝"	.55
No. 525—4½" Ext. Bar	.80	**No. MS6**—$\frac{3}{16}$"	.60
No. 526—9" Ext. Bar	1.00	**No. MS7**—$\frac{7}{32}$"	.60
No. MD14—$\frac{7}{16}$"	.55	**No. MS8**—¼"	.60
No. MD16—½"	.55	**No. MS10**—$\frac{5}{16}$"	.60
No. MD18—$\frac{9}{16}$"	.55	**No. MS12**—⅜"	.60

PACKING GLAND NUT SOCKETS

STOCK NO.	PRONG		DIAMETER		Overall	
	Depth	Width	Inside	Outside	Length	PRICE
R-1	$\frac{3}{32}$"	$\frac{1}{16}$"	$\frac{5}{16}$"	$\frac{7}{16}$"	1½"	.80
R-2	$\frac{3}{32}$"	$\frac{1}{16}$"	$\frac{11}{32}$"	$\frac{11}{32}$"	1½"	.80
R-3	$\frac{1}{16}$"	$\frac{1}{16}$"	$\frac{11}{32}$"	$\frac{5}{16}$"	1½"	.80

REFRIGERATOR SET

No. 55



This set contains one each of the above handles and sockets packed in convenient metal case 1-5/8"x3½"x9¾".

No. 55—Set Complete. Wt. 3½ lbs.....$17.95

THIN NOSE PLIERS

Blue steel, heat-treated accurately milled teeth on jaws. Good wire cutters. A light-weight well designed plier for all around use.

No. 299—Pliers.....Each .45

CARBURETOR SOCKETS



SPECIAL SOCKETS FOR USE ON STROMBERG CARBURETORS

LM12	⅜" Socket 1¾" long	$ .75
LM16	½" Socket 1¾" long	.75
SC15	$\frac{11}{16}$" Socket 2¼" long $\frac{11}{16}$" O.D Fits pump check valve.	1.00
OV2	$\frac{11}{16}$"x$\frac{11}{16}$" oval socket. Fits main metering jet on Stromberg dual Carburetors (Ford V8-1933 1934 and 1935)	.90
OV3	$\frac{13}{32}$"x$\frac{13}{16}$" oval socket. Fits metering jet on all other model Stromberg Carburetors	.90
SC4	Special socket for economizer needle valve	1.00
SC5	Spinner handle for above sockets	1.00

SPECIAL SOCKETS FOR CARTER CARBURETOR

5202	Low speed jet puller	.45
5209	Screw driver, $\frac{3}{32}$" blade	.90
5210	⅜" screw driver socket for multiple jet	1.00
5211	Special socket for small stand pipe	1.00
5212	Special socket for large stand pipe	1.15
5213	⅜" Special socket	.90
5214	⅝" Special socket	.55
5215	¾" Special socket	.90

SPECIAL SOCKETS For ⅜ Sq. Handles

No. 517 No. 519 No. 520

No. 517—⅝" Drag Link Socket for shock absorbers.....$0.80

No. 519—Socket for Zerk-Alemite fittings..... .75

No. 520—Socket for Chev. oil pan screws, all models. Cap and spring removable for cleaning purposes..... 1.40

BOG'S SNUB-TYPE WRENCH

For Hub and Radiator Caps

No. 477



A Powerful Tool

Many of the new model cars require a special metal wrench to remove hub caps. Our snub type wrench is adjustable instantly to fit any hub cap, radiator cap, or lamp door. The strong, specially treated web strap grips firmly and does not mar the surface of parts applied to. Handle is 11" long. Wt. 2¾ lbs.

No. 477—Wrench, 30" strap $2.50

No. 478—Wrench, 48" strap 3.00

No. 477B—48" Strap only 1.00

Size of Openings in Inches	S. A. E. Nuts & Bolts	U. S. S. Nuts	U. S. S. Cap Screw	Amer. Std. Nuts	Amer. Std. Cap Screw	MIDGET SIZES ¼″ Sq. Hdle. Openings Double Hex.	Price	MINIATURE SIZES ⅜″ Sq. Hdle. Openings Double Hex.	Price	MINIATURE Extra Depth ⅜″ Sq. Hdle. Openings Length over all 1¾″ Double Hex.	Price	STANDARD SIZES—ALLOY STEEL ½″ SQ. HANDLE OPENINGS Single Hex. Taper Wall	Price	Double Hex. Taper Wall	Price	Double Hex. Strait Wall	Price	Extra Depth Double Hex.	Length Overall	Price	BLUE STEEL ½″ Sq. Hdle. Opening Single Hex.	Double Hex.	Price
5/16						*M-6	.40																
3/8						*M-7	.40																
1/4						*M-8	.40	MD- 8	.55														
5/16						*M-9	.40																
5/16		1/8	1/8			M-10	.40	MD-10	.55												H-10	DH-10	.35
11/32						M-11	.40														H-11	DH-11	.35
3/8			5/16			M-12	.40	MD-12	.55	LM-12	.75										H-12	DH-12	.35
7/16	1/4		1/4	1/4	1/4	M-14	.40	MD-14	.55	LM-14	.75	CH-14	.55	TD-14	.55	SD-14	.75				H-14	DH-14	.35
1/2	5/16	1/4	5/16		5/16	M-16	.40	MD-16	.55	LM-16	.75	CH-16	.55	TD-16	.55	SD-16	.75	LD-16	3¼	1.10	H-16	DH-16	.35
9/16	3/8		3/8	5/16	3/8			MD-18	.55	LM-18	.75	CH-18	.55	TD-18	.55	SD-18	.75	LD-18	3¼	1.10	H-18	DH-18	.35
19/32		5/16										CH-19	.55	TD-19	.55	SD-19	.75				H-19	DH-19	.35
5/8	7/16		7/16	3/8	7/16			MD-20	.55	LM-20	.80	CH-20	.60	TD-20	.60	SD-20	.80	LD-20	3¼	1.20	H-20	DH-20	.35
11/16												CH-21	.60	TD-21	.60	SD-21	.80				H-21	DH-21	.35
11/16		3/8						MD-22	.55	LM-22	.85	CH-22	.60	TD-22	.60	SD-22	.80	LD-22	3¼	1.20	H-22	DH-22	.35
3/4	1/2		1/2	7/16	1/2			MD-24	.55	LM-24	.90	CH-24	.60	TD-24	.60	SD-24	.80	LD-24	3¼	1.20	H-24	DH-24	.40
25/32		7/16										CH-25	.75	TD-25	.75	SD-25	.85	LD-25	3¼	1.20	H-25	DH-25	.40
13/16			9/16	1/2	9/16							CH-26	.75	TD-26	.75	SD-26	.85	LD-26	3¼	1.20	H-26	DH-26	.40
7/8	9/16	1/2	5/8	9/16	5/8							CH-28	.75	TD-28	.75	SD-28	.90	LD-28	3½	1.30	H-28	DH-28	.40
15/16	5/8			5/8								CH-30	.80	TD-30	.80	SD-30	1.00	LD-30	3½	1.30	H-30	DH-30	.40
31/32		9/16										CH-31	.80	TD-31	.80	SD-31	1.10				H-31	DH-31	.40

All sockets are machined from solid bars of high-grade steel and electrically heat-treated.

Heavy Duty ¾″ Sq. Hdle. Opening Double Hex.	Price
HD-24	1.00
HD-28	1.00
HD-30	1.00
HD-31	1.00

1″	11/16		3/4		3/4							CH-32	.95	TD-32	.95	SD-32	1.15	LD-32	3½	1.40	H-32	DH-32	.45
1 1/16	3/4	5/8										CH-34	.95	TD-34	.95	SD-34	1.20	LD-34	3½	1.40	H-34	DH-34	.45
1 1/8			7/8	3/4	7/8							CH-36	1.00	TD-36	1.00	SD-36	1.30	LD-36	3½	1.55	H-36	DH-36	.50
1 3/16	11/16																				H-38	DH-38	.50
1 1/4	7/8	3/4	1″									CH-40	1.10	TD-40	1.10	SD-40	1.40	LD-40	3½	1.85	H-40	DH-40	.50
1 5/16				7/8	1																		
1 3/8			1 1/8																				
1 7/16	1″	7/8																					
1 1/2			1 1/4	1″	1 1/8																		
1 5/8	1 1/8	1″	1 3/8																				
1 11/16				1 1/8	1 1/4																		
1 3/4																							
1 13/16	1 1/4	1 1/8																					
1 7/8				1 1/4																			
2″	1 3/8	1 1/4																					
2 1/8																							
2 1/16	1 1/2	1 3/8																					
2 1/4				1 1/2																			
2 3/8		1 1/2																					
2 1/2																							
2 5/8		1 5/8																					
2 3/4				1 3/4																			
2 13/16		1 3/4																					
3 1/8		1 7/8																					
3 1/4		2″																					
3 1/2		2 1/4																					

MAMMOTH Heavy Duty 1¼″ Sq. Handle Opening Single Hex.	Price	Wt. Lbs.
*MH-64	3.55	2
*MH-68	4.85	2½
*MH-70	5.40	2¾
*MH-72	6.00	3
*MH-76	6.95	3¼
*MH-80	9.80	3½
*MH-82	12.10	3¾
*MH-84	13.15	4
*MH-88	15.30	4¼
*MH-94	18.80	5
*MH-100	22.75	6½
*MH-104	24.85	7½
*MH-112	27.00	8¼

2¼″ and Larger Single Hex. only

HD-32	1.10
HD-34	1.20
HD-36	1.30
HD-38	1.35
HD-40	1.45
HD-42	1.45
HD-44	1.50
HD-46	1.65
HD-48	1.75
HD-52	2.00
HD-54	2.30
HD-56	2.50
HD-58	2.80
HD-60	2.95
HD-64	3.55
HD-68	4.85
HD-70	5.40
*HD-72	6.00
HD-76	6.95
HD-80	9.80
HD-82	12.10
HD-84	13.15

HEXAGON SOCKET TABLE

Showing the different types of sockets we manufacture, and List Prices.

*Single Hex. only. For illustration of different styles see pages 30-31.

AN EFFICIENT RING COMPRESSOR
INEXPENSIVE AND RELIABLE



Can be used for inserting pistons from either top or bottom of motor block. Width of band 1½".

No. RC 10—	For	piston	diameter	2½	to 2 13/16
No. RC 11	"	"	"	2¾	to 2 15/16
No. RC 12	"	"	"	3	to 3 1/16
No. RC 13	"	"	"	3¼	to 3 3/16
No. RC 14	"	"	"	3½	to 3 5/16
No. RC 15	"	"	"	3¾	to 3 7/16
No. RC 16	"	"	"	4	to 4 1/16
No. RC 17	"	"	"	4¼	to 4 3/16
No. RC 18	"	"	"	4½	to 4 5/16
No. RC 19	"	"	"	4¾	to 4 7/16
No. RC 20	"	"	"	5	to 5 1/16

List Price Each $0.40

KNOCKOUT WHEEL PULLERS
NEW SERIES



This new series of knock-out wheel pullers are made from a high grade bar steel, carefully threaded and heat treated, insuring maximum of strength and service. Finished in dark blue mottled finish, and packed in individual cartons.

Stock No.	Size & Thread	Price
No. 1C	⅝ 18 SAE	.40
No. 2C	¾ 16 SAE	.45
No. 3C	⅞ 14 SAE	.50
No. 4C	1 14 SAE	.55
No. 5C	1⅛ 12 SAE	.55
No. 6C	1¼ 7 USS	.80
No. 7C	1¼ 12 SAE	.80
No. 8C	⅞ 18 Hudson } Essex Special }	.50 .50
No. 9C	13/16 16 1932 } Chevrolet Special }	.50
No. 10C	¾ 20 Essex } Terraplane Special }	.50
No. 11C	⅞ 16 Nash Special	.50
No. 12C	1⅛ 7 Ford and GMC 19 Truck	.55
No. 13C	⅞—20 thread	.50
No. 14C	1½—6 U.S.S. thread	1.50
No. 15C	1½—12 S.A.E. thread	1.50

BOG MANUFACTURING CO.

2120 North Menard Avenue

CHICAGO U. S. A.